

Freedom Communications System Analyzer Family

OUR TRADITION OF INNOVATION

Our heritage in LMR test equipment dates to the late 1970's and the first all-in-one radio test solution: The R2001. Since then, our products have been the unquestioned benchmark in LMR test equipment. The R2600 series, introduced in 1989, was the industry standard for nearly a quarter-century. A few years later, the R2670 followed – the first test set supporting APCO Project 16 and Project 25. And in 2004, we invented the concept of automated radio testing and alignment with our revolutionary "AutoTune" option for radios from a variety of OEMs.



1979 The R2001 – the industry's first LMR service monitor – is introduced.

1989 R2600 – 2nd generation platform is introduced.



1992 R2670A introduced. The R2670 was the first analyzer to test both APCO Project 16 and Project 25.



2000 R2670B introduced – the first analyzer with full color LCD display.

2004
"AutoTest" – the
first automated test
and alignment
software for LMR
radios – is
introduced.

2009 R8000A introduced – the first fully

portable, software-

defined LMR test set.

In 2009, we introduced the first portable, software-defined LMR test set - the R8000, now in its third generation. In 2016 we achieved another industry first with the R8100, the only full-featured communications analyzer with an internal battery. The R8600 Radio Test Hub, the only test instrument designed for the rigors of a 24/7 radio production environment, was introduced in 2017.

In 2020 we made history again with the R8200, which features a Vector Network Analyzer and an unmatched suite of premium features, including remote control, extended generate port

output range and our revolutionary Process Automation Toolkit (PAT).

In 2022, we will begin shipping the most transformative product the industry has ever seen: the R9000 6GHz Communications System Analyzer. In addition to the capabilities of an LMR test set, the R9000 will include interference analysis, a real-time spectrum analyzer and bandwidth sufficient to support the FirstNet nationwide public safety LTE network.



2016 R8000C and R8100

2012

R8000B introduced.
The first LMR service monitor with lab grade spectral purity.

R8000C and R8100 introduced – R8100 is the first full featured LMR service monitor with an internal battery.



2017

R8600 Introduced – the first LMR test set designed for 24/7 manufacturing operation.



2018

Process Automation Toolkit Introduced – the first product to bring customized automated testing to non-programmers.



2020

R8200 Introduced – the first service monitor with built-in VNA for measurements such as Distance to Fault (DTF), Return Loss, and Voltage Standing Wave Ratio (VSWR).



R9000 introduced – the first LTE capable radio test instrument. Includes 6GHz capability, multitouch display, and standard VNA.



THE R8100 AND R8000:

THE ONLY CHOICE FOR DIGITAL LMR TESTING AND ANALYSIS

The R8000 and R8100 comprehensively support every major LMR protocol. Our test suites for both P25 Phase 1 and 2 are fully compliant with the TIA/EIA specification and employ every modulation and test pattern called out in the specification. And our P25 Phase 1 trunking option allows the test set to emulate a base station and trunking controller.


Our analyzers also lead the way in testing the new 6.25kHz and 6.25kHz channel equivalent technologies. Our NXDN™ and DMR test modes fully conform to the applicable specifications. NXDN "Type C" Trunking simulates the functions of an NXDN central controller. Comprehensive TETRA and dPMR test options are also offered.

The R8200


THE ULTRA-PORTABLE SOLUTION FOR SUBSCRIBER AND INFRASTRUCTURE TESTING

The Freedom R8200 from Astronics Test Systems represents a major step in the evolution of the LMR service monitor. The R8200 is the first and only test instrument that combines comprehensive digital and analog LMR testing with the ability to measure important RF network characteristics such as Distance to Fault (DTF), Return Loss, and Voltage Standing Wave Ratio (VSWR).

The R8200 is also the only service monitor with the ability to display RF parameters in a Smith Chart for more complicated network analysis. The R8200 also enables users to return communications assets to the field faster by reducing set-up time associated with multiple, stand-alone instruments. And because the R8200 is built on the proven, industry standard R8000/R8100 platform, it can be purchased with the knowledge that it is backed by the world-class service and technical support capabilities of Astronics Test Systems. Comprehensive subscriber and infrastructure radio testing in one, portable tester – the next generation of Freedom LMR test instruments from Astronics.



APCO P25 Phase1 Eye Diagram



TETRA TMO



THE R8600

RADIO TEST HUB

The R8600 Radio Test Hub is designed to meet the demanding requirements of RF production environments. Able to withstand 150 Watts of continuous RF power input, the R8600 was explicitly engineered to provide a cost-effective solution for 24/7 manufacturing use. Once deployed, it requires minimal operator intervention beyond making the physical RF connections.

The Radio Test Hub provides reliable, cost-effective, easy-to-operate testing for manufacturers of LMR radios and other RF devices. It is also ideal for those with intense automated testing requirements.



The R9000

THE NEW WORLD OF COMMUNICATIONS TEST EQUIPMENT

We invented the LMR test set and have led the way in new technology for the industry every step of the way. Continuing that tradition, we introduced our R9000 6GHz LTE-Ready Communications System Analyzer.

With a standard Vector Network Analyzer (VNA), real-time Spectrum Analyzer, color multi-touch display, 6GHz frequency range, and full suite of LMR test capabilities, the R9000 represents a quantum leap in communications testing. The R9000 is the only LMR test instrument with the ability to process the instantaneous signal bandwidth required for LTE/FirstNet.

BENEFITS

- » 6GHz Frequency Range
- » Fully portable (less than 17 pounds) targeting better than 4 hour battery life
- » Full-color multi-touch display
- » LTE capable (25MHz instantaneous bandwidth; 160MHz in future releases)
- » Vector Network Analyzer (VNA)
- » Interference Analyzer
- » Industry-best spectral purity (-110 dBc/ Hz @20khz offset)
- » Configurable connector access (front and top access models available)

STANDARD FEATURES

- » Frequency Range from 10MHz to 6GHz
- » Analog modulation and demodulation (AM, FM and Single SideBand)
- » 50 W continuous input power and up to 150W peak input power
- » Output level to -130 dBm
- » Spectrum Analyzer
- » Signal Generator
- » Oscilloscope
- » Vector Network Analyzer
- » Integrated Audio Generators
- » I/Q Recorder and Playback
- » Audio Quality Tests (SINAD, THD)



OPTIONS

- » All major digital LMR protocols: P25 Phases 1 &2, TETRA, DMR, NXDN, and dPMR
- » Interference Analyzer
- » LTE test options
- » AutoTunes: Test and Alignment



AutoTune™

AUTOMATED RADIO TEST AND ALIGNMENT


Our AutoTune option performs all recommended factory test and alignment procedures in a fraction of the time needed to perform them manually. Just select your radio model and connect as shown on the unit, choose the tests and alignments you wish to perform, then enter your operator ID and press the "start button."

AutoTune is available for every major LMR radio brand.

BENEFITS

- » Test time reduced by over 80%
- » Consistent manufacturer specified alignments among radios
- » Accurate and repeatable test results
- » Pass/Fail indicators flag radio defects
- » Little or no technical expertise required
- » Results can be exported for archival and analysis

The test set automatically reads key radio information such as model number and serial number, and makes the measurements and alignments needed to bring the radio within factory specifications. Within minutes you have a complete record of your test session stored on the unit in comma delimited form for quick and easy recall. Over time you will build a complete test history for every radio – ideal for large fleets with formal Preventative Maintenance programs. Test reports can be conveniently viewed on the unit or exported for further analysis using spreadsheets and other data manipulation programs.



Harris XL-200P AutoTune Setup Diagram



Harris XL-200P AutoTune Status Screen

Process Automation Toolkit ("PAT")

THE NEXT FRONTIER IN AUTOMATED RADIO TESTING

Our revolutionary Process Automation Toolkit, or PAT, transforms radio service and brings automated testing within the reach of every technician. With PAT, virtually every function of the R8100/R8000 analyzer can be incorporated into a test script using a simple point-and-click interface. Test modes, functions, and protocols can be automated with a few mouse clicks!

No longer does automated radio testing require a dedicated programmer with in-depth knowledge of a particular programming language. PAT allows you to create and store virtually any test script in a few minutes and execute the test in seconds.





APCO₂₅

THE INDUSTRY'S MOST COMPREHENSIVE TEST SOLUTION

Whether your system is P25 Phase 1 conventional, Phase 1 trunked, or Phase 2, Astronics Test Systems has the total solution. Our P25 options generate and receive every test pattern called out in the P25 standard. Hear recovered audio with our Phase 1 vocoder option. Choose from multiple available graphical displays: eye diagram, distribution plot, constellation, or power profile. Includes the most complete set of P25 measurements available in the market: Frequency Error, Deviation, Power Level, Modulation Fidelity, Symbol Rate, Symbol Deviation, and more.

Our P25 Trunking option simulates a trunking controller with all the control and voice channel protocols needed for P25 radio service. All standard-compliant test patterns for Bit Error Rate (BER) testing are included, as are all compliant modulations.



TETRA

UNPARALLELED TEST CAPABILITY FOR EVERY TETRA FORMAT

Freedom analyzers boast an unparalleled suite of test capabilities: TMO and DMO subscriber testing, comprehensive T1 testing, and base station monitoring. Whether you are monitoring system performance or doing maintenance and repair of TETRA handsets, we have a test option that meets your needs. Red/Green Pass/Fail bars provide quick visual confirmation that all radio parameters are within specifications. Our TMO test option measures RF Power, Unwanted Output Power, Residual Carrier Power, Frequency Error, EVM (RMS and Peak), Frame Alignment, and much more.

DMR/NXDN

For nearly 10 years, Freedom analyzers from Astronics have featured the most complete set of tests available for the rapidly growing DMR and NXDN technologies.

Our DMR option tests any repeater or handset compliant with the ETSI DMR Tier 2 conventional radio transmission protocol. Available graphical displays include spectrum analyzer, power profile, and constellation. Freedom analyzers are also capable of running BER tests using manufacturer-provided radio programming software.

Our DMR repeater test option enables the technician to test a live repeater without putting the repeater in test mode, eliminating the need to take down the system for maintenance.



Avionics Ramp Test

An industry first - avionics ramp test capability in an LMR service monitor. An all-in-one solution for radio shops with the need to test avionics radios, our ramp test option includes:

- » ILS (Instrument Landing System) Localizer/Glide Slope
- » VOR (VHF Omni-directional Range)
- » Marker Beacons
- » Non-Directional Beacons / Automated Direction Finding
- » SELCAL (Selective Calling System)
- » Morse Code Identification

Positive Train Control (PTC)

Astronics Test Systems is the only test equipment manufacturer offering test solutions for both major PTC protocols: PTC-ACSES used by commuter railroads and PTC-ITCR used by long-haul carriers.

Working with radio manufacturers, we have developed an extensive portfolio of tests to measure the integrity of signals generated and received by PTC radios.





Additional Accessories SOLD SEPARATELY



Transit case with wheels



Soft carrying case



Spare internal battery and charger for R8100



VSWR Bridge Kit

Process Automation Toolkit Cable Fault Locator Tracking Generator Remote Control Software Enhanced Spectrum Analyzer / Dual Scope Vector Network Analyzer, Single Port Single Side Band Extended Generator Output Range	Optional	Optional V Optional	√ NA √ √	√ √
Tracking Generator Remote Control Software Enhanced Spectrum Analyzer / Dual Scope Vector Network Analyzer, Single Port Single Side Band	√ NA	√ √	NA	1
Tracking Generator Remote Control Software Enhanced Spectrum Analyzer / Dual Scope Vector Network Analyzer, Single Port Single Side Band	√ NA	√ √	√ √	,
Remote Control Software Enhanced Spectrum Analyzer / Dual Scope Vector Network Analyzer, Single Port Single Side Band	√ NA	√ √	V	
Enhanced Spectrum Analyzer / Dual Scope Vector Network Analyzer, Single Port Single Side Band	√ NA	√ √	V	1
Vector Network Analyzer, Single Port Single Side Band		V	./	NA
Single Side Band		NA	./	NA
	Optional	Optional	Optional	Optional
	Optional	Optional		Optional
3 GHz Operation	Optional	Optional	Optional	Optional
APCO Project 25 Phase 1	Optional	Optional	Optional	Optional
APCO Project 25 Phase 1 Trunking (Requires R8-P25)	Optional	Optional	Optional	Optional
APCO Project 25 Phase 2	Optional	Optional	Optional	Optional
				Optional
	Optional	Optional		Optional
	Optional			Optional
	Optional			Optional
	Optional		Optional	Optional
	Optional	Optional	Optional	Optional
AutoTune for Harris XG-75/P7300/M7300 Series Mobiles and Portables	Optional	Optional	Optional	Optional
AutoTune for Harris XM100 Radios	Optional	Optional	Optional	Optional
AutoTune for Harris XL200 Radios	Optional	Optional	Optional	Optional
AutoTune for BK KNG Portables	Optional	Optional	Optional	Optional
AutoTune for BK KNG-S Series Portables	Optional	Optional	Optional	Optional
AutoTune for Hytera DMR Radios	Optional	Optional	Optional	Optional
AutoTune for Technisonic TDFM 9000 Series Radios	Optional	Optional	Optional	Optional
Three Year Service Plan		Optional	Optional	Optional
Five Year Service Plan	Optional			Optional
Lithium Ion Battery	NA	/	1	NA
Desktop Quick Charger for R8100 battery	NA	Optional	Optional	NA
Soft Carrying Case	J	Optional	Optional	Optional
Transit Case with foam molding for Glove Case	Optional	Optional	Optional	Optional
Protective glove case with LCD protection - R8000	Optional	NA	NA	NA
Protective glove case with LCD protection - R8100	NA	Optional	Optional	NA
	Optional			Optional
				Optional
FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF	P25 Vocoder P25 Explicit Mode Trunking DMR conventional (Tier 2) DMR Live Repeater (Requres R8-DMR) NXDN NXDN NXDN "Type C" Trunking IETRA Base Station Monitoring IETRA Base Station T1 Test IETRA TMO Subscriber Test IETRA DMO Subscriber Test IPTRA DMO Subscriber Subscribe	P25 Vocoder P25 Explicit Mode Trunking DMR conventional (Tier 2) DMR Live Repeater (Requres R8-DMR) DMR Type C" Trunking DMR Type C" Trunking DMR Type C" Trunking DMR Type C" Trunking DPTON Type Type DPTON Type DPT	P25 Vocoder P25 Explicit Mode Trunking DMR conventional (Tier 2) DMR Live Repeater (Requres R8-DMR) DMR Conventional (Tier 2) DMR Type C" Trunking DMR Conventional (Tier 2) DMR Type C" Trunking DMR Conventional (Trunking DMR Type C" Trunking DMR Conventional (Trunking DMR Conventional Optional Optio	P25 Explicit Mode Trunking Optional Op

R8000C

Radio models are the trademarks of their respective manufacturers.



ORDERING INFORMATION

MODEL

R8200 R8100 R8000C R8000C-1GHz Premier Package R8000C-3GHz Premier Package R8600

DESCRIPTION MODEL

Ultra-Portable Communications Analyzer with VNA Ultra-Portable Communications Analyzer Communications Analyzer, 1GHz Communications Analyzer, 1GHz Premier Package Communications Analyzer, 3GHz Premier Package Radio Test Hub

Certifications

These certifications represent our commitment to quality, safety, environmental standards, and efficiency.







Complies With UL 61010-1 CSA C22.2 No. 61010-1

Astronics Corporation (NASDAQ: ATRO) serves the world's aerospace, defense, and other mission critical industries with proven, innovative technology solutions. We work side-by-side with customers, integrating our array of power, connectivity, lighting, structure, interior, and test technologies to solve complex challenges. For 50 years, we've delivered creative, customer-focused solutions with exceptional responsiveness. Today global airframe manufacturers, airlines, military branches, completion centers, and Fortune 500 companies rely on the collaborative spirit and innovation of Astronics.

ASTRONICS

Astronics Test Systems 12889 Ingenuity Dr. Orlando, FL 32826 +1.407.381.6062

2002 Synergy Blvd Suite 200 Kilgore, TX 75662 +1.903.985.8999

freedom.sales@astronics.com

astronics.com









